Docket No.: AT-000218 US

What is claimed is:

A dental tray adapted to receive a dental impression material thereon, comprising:

 a base having a plurality of prongs, the base having one or more openings to allow
 flowing of the dental impression material;

a first wall extending from one side of the base, the first wall having one or more openings to allow flowing of the dental impression material; and at least one detachable portion formed on one end of one prong, the detachable portion being removable to shorten the prong length.

- 2. The dental tray of claim 1, wherein the detachable portion comprises curved corners.
- 3. The dental tray of claim 1, wherein the first wall comprises a curved edge.
- 4. The dental tray of claim 1, wherein the first wall has a fixed wall length.
- 5. The dental tray of claim 1, wherein the first wall has a variable wall length.
- 6. The dental tray of claim 1, wherein the first wall openings have variable lengths.
- 7. The dental tray of claim 1, further comprising a second wall extending from the other side of the base, the second wall having openings there through.
- 8. The dental tray of claim 7, wherein the second wall has a variable wall length and the second wall openings have variable lengths.
- 9. The dental tray of claim 1, further comprising a containing a radiopaque material.
- 10. The dental tray of claim 1, further comprising an arcuate portion interconnecting the plurality of prongs.

19

- 11. The dental tray of claim 10, wherein the arcuate portion comprises one or more openings.
- 12. The dental tray of claim 1, wherein the tray is adapted to be positioned in a radiographic scanner.
- 13. A system to capture upper and lower dental impressions of a patient, comprising: an upper dental tray adapted to receive a dental impression material thereon, including:
 - a base having a plurality of prongs, the base having one or more openings to allow flowing of the dental impression material;

first and second walls extending from both sides of the base, the walls having one or more openings to allow flowing of the dental impression material;

- a lower dental tray adapted to receive a dental impression material thereon, including:
- a lower base having a plurality of prongs, the lower base having one or more openings to allow flowing of the dental impression material;
- a lower wall extending from one side of the base, the lower wall having one or more openings to allow flowing of the dental impression material;

an arcuate portion interconnecting the plurality of lower prongs; and at least one detachable portion formed on at least one end of one prong, the detachable portion being removable to shorten the prong length.

Docket No.: AT-000218 US

14. The system of claim 13, wherein the base and walls contain a radiopaque material.

- 15. The system of claim 13, wherein at least one wall has a fixed wall length.
- 16. The system of claim 13, wherein at least one wall has a variable wall length.
- 17. The system of claim 13, wherein the openings are variable in length.
- 18. A dental impression system, comprising:

a dental tray containing a radiopaque material adapted to receive a dental impression material thereon, including:

a base having a plurality of prongs, the base having one or more openings to allow flowing of the dental impression material;

a wall extending from one side of the base, the wall having one or more openings to allow flowing of the dental impression material; and

a container to house the radiographic tray, the container and the dental tray being adapted to be scanned by a radiographic scanner.

19. The system of claim 18, wherein the radiographic scanner comprises

a radiation source;

a scintillator to receive the radiation from the radiation source;

a radiation detector coupled to the scintillator; and

a rotatable table positioned between the radiation source and the scintillator, the table being adapted to support the container.

21

- 20. The system of claim 18, further comprising a computer coupled to the detector to generate the digital model with scanned data.
- 21. The system of claim 18, further comprising an impression material having a radiopaque material.
- 22. The system of claim 21, wherein the radiopaque material is incorporated into the dental impression material for full arch, dual arch, single arch, partial arch, or bite relationship capture.
- 23. The system of claim 21, wherein the dental impression includes one of the following: polyvinlysiloxane (PVS), alginate, polysulfide, acrylic, hydrocolloid, polyether and bite registration paste.
- 24. The system of claim 21, wherein the radiopaque material comprises a spray, a dip, or a powder layer used to coat surface of the impression material in order to make the surface more visible to the scanner after the impression has been captured.